

SPATIAL CHARACTERISTICS OF SHORT WIND WAVES IN THE OCEAN

Paul A. Hwang

Code 7332

Naval Research Laboratory

Stennis Space Center, MS 39529

phone: (228) 688-4708, fax: (228) 688-5997, e-mail: paul.hwang@nrlssc.navy.mil

Award #: N00014-96-WX-30445

LONG-TERM GOAL

To study the surface roughness structure for: (1) understanding the influence on the backscatter of radars in remote sensing applications, and (2) applying the knowledge to the interpretation of wind, wave, and current parameters obtained from remote sensing techniques.

SCIENTIFIC OBJECTIVES

To investigate the effect of surface roughness structure on the altimeter backscattering return and quantify the improvement on wind speed derivation from radar cross section taking into consideration surface roughness properties.

APPROACH

Develop analytical expression of radar backscattering cross section taking into account modification of local incident angle due to surface tilting. Compare derivation with TOPEX altimeter and ocean buoy measurements in the Gulf of Mexico region. Gregg Jacobs and Bill Teague (NRL) extracted the TOPEX data, David Wang of Computer Science Corp. assembled the ocean buoy data for comparison.

WORK COMPLETED

Analytical expression derived, comparison with TOPEX and ocean buoy data accomplished. Results reported in meetings, technical reports, and journal papers.

RESULTS

It is found that the tilting effect of long waves produces an attenuation of the radar backscattering cross section. The calculated attenuation factor is in excellent agreement with TOPEX/POSEIDON (referred to as TOPEX for brevity) measurements. Two major contributors to the tilting mechanism are the wind generated waves with wavelengths much longer than the radar wavelength, and the ambient waves generated elsewhere and propagated into the measurement region. Using the information of the wavenumber spectra of short capillary-gravity waves measured in the ocean and an estimate of the ambient tilting wave components from the ocean, the calculated attenuation factor is in excellent agreement with TOPEX measurements. With the tilting effect accounted, the agreement improves significantly the wind speeds derived from the TOPEX Ku-band altimeter as compared to those from the collocated ocean buoys (see Figures 1 and 2).

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE Spatial Characteristics of Short Wind Waves in the Ocean				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory, Code 7332, Stennis Space Center, MS, 39529				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 5	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

IMPACT/APPLICATION

The basis for relating radar measurements to wind speed is the realization that radar backscatter is caused by surface roughness. In the ocean, the surface roughness is mainly contributed by wind-generated surface waves. The measured radar intensity (the normalized radar cross section), S_0 , however, was found to differ significantly from theoretical calculations using equations derived from scattering processes (e.g., Barrick, 1968) and measured physical properties of the surface roughness (e.g., Cox and Munk, 1954; Hwang et al., 1996). Most puzzling of all, calculations consistently indicated that the sea surface detected by radars, with wavelengths on the order of a few centimeters, was “rougher” than those detected by optical instruments that depend on light with wavelengths in the sub-micrometer wavelength range (Hwang, 1997). This perplexing result was not resolved in the past two decades since the advent of altimeter data. Up to this stage, the majority of wind speed algorithms are based on empirical or statistical analyses. The results obtained from this research show that our understanding of the scattering physics is fundamentally sound but the knowledge of the surface roughness is rather poor. The incorrect specification of the surface roughness led to inaccurate inference of the oceanographic parameters from remote sensing measurements.

TRANSITIONS

The research results have been reported in scientific meetings, technical reports, and journal papers.

RELATED PROJECTS

The knowledge and experience derived from this ONR sponsored program contribute to other ocean remote sensing programs using microwave radars (Trizna, sponsored by ONR and NRL) and data fusion projects that seek to assimilate atmospheric and oceanographic parameters from sources including remote sensing techniques (Perkins, sponsored by ONR and NRL). The results are also useful to the air-sea interaction community and the on-going development of passive microwave sensing of the environment such as the NPOESS program.

REFERENCES

- Hwang, P.A., 1997. “A study of the wavenumber spectra of short water waves in the ocean: Spectral model and mean square slope,” *Journal of Atmospheric and Oceanic Technology*, 14, 1174-1186.
- Liu, Y., X.-H. Yan, T.W. Liu, and P.A. Hwang, 1997. “The probability density function of ocean surface slopes and its effects on radar backscatter,” *Journal of Physical Oceanography*, 27, 783-797.
- Terray, E.A., Donelan, M.A., Agrawal, Y.C., Drennan, W.M., Kahma, K.K., Williams, A.J., Hwang, P.A., and Kitaigorodskii, S.A., 1997. Reply to “Comment on ‘Estimates of kinetic energy dissipation under breaking waves,’” *Journal of Physical Oceanography*, 27, 2038-2039.
- Hwang, P.A., W.J. Teague, G.A. Jacobs, and D.W. Wang, 1997. “A statistical comparison of wind speed, wave height and wave period derived from satellite altimeters and ocean buoys in the Gulf of Mexico region,” *Journal of Geophysical Research* (accepted).

Liu, Y., P.A. Hwang, M.Y. Su, and T. Liu, 1997. "Wave age, spectral width and equilibrium spectrum of wind waves," submitted to *Journal of Physical Oceanograph*.

Hwang, P.A., 1997. "Measurement of the microstructure of ocean surface roughness," submitted to *Journal of Atmospheric and Oceanic Technology*.

Hwang, P.A., E.J. Walsh, W.B. Krabill, R.N. Swift, S.S. Manizade, J.F. Scott, and M.D. Earle, 1997. "Airborne remote sensing applications to coastal wave research," submitted to *Journal of Geophysical Research*.

Hwang, P.A., D.W. Wang, W.J. Teague, and G.A. Jacobs, 1997. "Effect of surface tilting on altimeter wind measurements," *Naval Research Laboratory Memorandum Report MR/7332-97-8067*.

Teague, W.J., Hwang, P.A., G.A. Jacobs, and D.W. Wang, 1997. "A three-year climatology of waves and winds in the Gulf of Mexico," *Naval Research Laboratory Memorandum Report MR/7332-97-8068*.

Hwang, P.A., W.J. Teague, G.A. Jacobs, and D.W. Wang, 1997. "Measurement of wind and wave parameters from satellite altimeters," Fourth International Conf. on *Remote Sensing of Marine and Coastal Environment*, Vol. 1, 441-450.

Teague, W.J., P.A. Hwang, G.A. Jacobs, and D.W. Wang, 1997. "A Wave/wind climatology for the Gulf of Mexico," 7th International Offshore and Polar Engineering Conference, May 25-30.

Hwang, P.A., 1997. "A discussion on the generation processes of short ocean waves," AGU Spring Meeting, May 27-30.

Hwang, P.A. and E.J. Walsh, 1997. "Remote sensing and coastal wave research," *Coastal Dynamics 97* (in press).

Hwang, P.A., W.J. Teague, G.A. Jacobs, and D.W. Wang, 1997. "Climatology of wind waves from satellite altimeters," *IGARSS'97*, III, 1156-1158.

Hwang, P.A., W.J. Teague, G.A. Jacobs, and D.W. Wang, 1997. "Tilting effect on the derivation of wind speed from satellite altimeter," *IGARSS'97*, III, 1171-1173.

Hwang, P.A., 1997. "Measuring wind and waves using altimeters," *Waves 97*, Nov. 3-7 (in press).

Hwang, P.A., S. Bratos, W.J. Teague, D.W. Wang, G.A. Jacobs, and D. Resio, 1998. "Comparison of model output of wind and wave parameters with spaceborne altimeter measurements," Proc. 5th Int'l Workshop on *Wave Hindcasting and Forecasting*, January (in press).




Figure 1. Tilting Effect on the Altimeter Backscattering Cross Section.

Circles: TOPEX Ku-band measurements; Dashed curve: without tilting consideration;
Solid curve: With tilting effect. (Hwang, et al., 1997).




Figure 2. The Correlation Coefficient and RMS Difference of Wind Speed Measurements as Functions of Space Lags (a, b) and Time Lags (c, d).

Data set A115B220. x: B81 (Brown, et al., 1981), o: MCW (Witter and Chelton, 1991), +: Tilt-Surface. The improvement with consideration of tilting is significant (Hwang, et al. 1997).